

Submission of information on sampling and clinical examinations according to Chapter I of Part II of Annex 6 of Regulation (EU) 2020/689

1. Data on testing animals

Zone comprising river “Rižana” from its source to the artificial barrier (a dam approx. 2 m high) in the length of approx. 10 km, including all tributaries (18), Farmska, Kortinska and Dekanska mlinščica, compartment “Rižana” already declared free of VHS/IHN, fish farm “Formio” and fish farm (hatchery) “Porton”

Disease: VHS/IHN..... Year: ...2019.....

Farms subject to sampling and clinical examination	Number of samplings	Number of clinical inspections	Water temperature at sampling/ inspection	Species at sampling	Species sampled	Number of animals sampled (total and by species)	Number of samples	Positive results of laboratorial examination	Positive results of clinical inspections
Fish farm “Porton”	1 (16.12.)	1 (16.12.)	11,2 °C (16.12.)	Crossbreed of Brown trout and Marble trout	Crossbreed of Brown trout and Marble trout	30 fish - semen/ovarian fluid and 50 fish - organs	8	0	0
TOTAL						80	8	TOTAL	0

Disease: VHS/IHN.....Year: ...2020.....

Farms subject to sampling and clinical examination	Number of samplings	Number of clinical inspections	Water temperature at sampling/ inspection	Species at sampling	Species sampled	Number of animals sampled (total and by species)	Number of samples	Positive results of laboratorial examination	Positive results of clinical inspections
Fish farm "Porton"	1 (6.5.)	1 (6.5.)	13,0 °C (6.5.)	Crossbreed of Brown trout and Marble trout	Crossbreed of Brown trout and Marble trout	75 fish – organs	8	0	0
Fish farm "Porton"	1 (9.12.)	1 (9.12.)	11,4 °C (9.12.)	Crossbreed of Brown trout and Marble trout	Crossbreed of Brown trout and Marble trout	50 fish – organs + 30 fish – semen/ovarian fluid (fish were taken from river Rižana inside the proposed zone and stripped at the fish farm)	8	0	0
TOTAL						155	16	TOTAL	0

Disease: VHS/IHN.....Year: ...2021.....

Farms subject to sampling and clinical examination	Number of samplings	Number of clinical inspections	Water temperature at sampling/ inspection	Species at sampling	Species sampled	Number of animals sampled (total and by species)	Number of samples	Positive results of laboratorial examination	Positive results of clinical inspections
Fish farm "Porton"	1 (21.4.)	1 (21.4.)	11,0 °C (21.4.)	Crossbreed of Brown trout and Marble trout	Crossbreed of Brown trout and Marble trout	75 fish – organs	8	0	0
TOTAL						75	8	TOTAL	0